



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T


7

N

R

I

W



Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35-36	Land rolling. Timber Oak & Hickory	33-34	Land rolling. Timber Oak. Ash & Hickory	10-11	Land rolling. Timber Sugar. Oak. Birch
25-36	ditto	27-30	ditto	19-20	ditto
25-36	ditto	27-28	Rich level soil. Timber Same	17-20	ditto
20-25	ditto	22-27	ditto	15-17	Land rolling. Timber Oak Sugar. Ash. Birch
23-24	Land level. Timber Same	21-22	ditto	5-17	ditto
13-24	ditto	15-22	ditto	7-8	ditto
13-14	Land flat. Timber. Birch. Oak & Walnut	15-16	ditto	5-8	ditto
12-13	ditto	10-15	ditto	5-6	ditto
11-13	Land hilly. Timber Oak. Hickory & Birch	9-10	ditto	6-7	ditto
1-12	ditto. Timber Oak. Ash & Hickory	3-10	ditto	17-18	ditto
1-2	ditto	3-4	ditto	18-19	ditto
24-35	Land flat. Timber Birch. Gum. Oak & Hickory	32-33	Rolling Rich soil. Timber Sugar. Oak. Birch	19-20	ditto
26-35	ditto	28-33	ditto	20-31	ditto
26-27	ditto	20-21	ditto	22-30	ditto
22-25	ditto	16-21	ditto	21-22	ditto
22-23	ditto	9-16	ditto		
18-23	ditto	8-9	ditto		
18-19	ditto	4-9	ditto		
11-14	ditto	5-8	ditto		
1-12	ditto	31-32	Land rolling. Timber Same		
1-2	ditto	29-30	ditto		

South Boundary

West On the South Boundary of sec. 36. T. 7. N. R. 1 W.
 40.00 Set a 7/8" post from which
 Birch 6 in dia. bears N 89° W. 10 1/2 lbs dist. to
 No. 5 " " " S 45° W. 6 " "
 80.00 Set a post for the cor of sec. 35 & 36. from which
 Birch 16 in dia. bears S 34° E. 6 lbs dist. to
 No. 12 " " " N 10° E. 26 " "
 Second hilly; Timber Oak.

West On the South Boundary of sec. 35. T. 7. N. R. 1 W.
 19.25 To a Poplar 30 in dia. in the line.
 40.00 Set a 7/8" post from which
 Mulberry 12 in dia. bears N 65° W. 36 lbs dist. to
 Blue Ash 10 " " " S 66° E. 10 " "
 80.00 Set a post for the cor of sec. 34 & 35 from which
 Birch 15 in dia. bears N 53° E. 8 lbs dist. to
 No. 9 " " " S 75° W. 13 " "
 Hilly Oak Second. March 31st 1811.

West On the South Boundary of sec. 34. T. 7. N. R. 1 W.
 30.00 To a Brook 6 links wide. corner
 40.00 Set a 7/8" post from which
 Birch 18 in dia. bears S 65° E. 8 lbs dist. to
 No. 12 " " " N 83° W. 20 " "
 77.50 To a creek 250 links wide. corner
 80.00 Set a post for the cor of sec. 33 & 34 from which
 Birch 30 in dia. bears N 89° W. 40 lbs dist. to
 Elm 10 " " " N 77° E. 27 " "
 Post on the Bank of creek. April 1st 1811. Land hilly.

West On the South Boundary of sec. 33. T. 7. N. R. 1 W.
 26.00 To a Brook 40 links wide. corner N.

T. N. of N. R. No. 177 2nd Mer. Ind.

Nick 16 in dia: here South 21 lbs dist; to Corn a very high hill

80.00 Set a post further cor of sec 13 & 14 from which, W Oak 15 in dia: here N 65 E 4 lbs dist; to, Buck 7 " " N 55 W 5 " " Sand land Timber Buck, Sugar &c.

North On the East Boundary of sec. 13. T. 7 N. R. 1 W.
6.00 To a Brook 30 lbs mid, corner S. W.
38.00 " " 20. 30 " " " W
40.00 A Nick 14 in dia: stands for the cor of sec. 14.
45.00 Came to a Creek running S. W. kept up in it 15 lbs left the West.
80.00 A Buck 24 in dia: stands for the cor of sec 12 & 13. Hilly Buck land.

North On the East Boundary of sec. 12. T. 7 N. R. 1 W.
1.00 To a Brook 250 lbs mid, corner W.
40.00 Set a post suppost from which, Buck 10 in dia: here S 35 W 13 lbs dist; to, W Oak 36 " " N 16 W 20 " "
66.50 To a W Oak 33 in dia: in the line.
80.00 Set a post further cor of sec 17 & 18 from which, Sugar 16 in dia: here N 9 E 16 lbs dist; to, Do 15 " " S 65 W 21 " " Land middling low high hills. Timber Oak Buck &c.

North On the East Boundary of sec. 1. T. 7 N. R. 1 W.
37.75 To a W Oak 36 in dia: in the line.
40.00 Set a post suppost from which, W Oak 14 in dia: here N 45 E 19 lbs dist; to, Nick 6 " " N 45 W 24 " "

T. N. of N. R. No. 177 2nd Mer. Ind.

75.00 To a Brook 3 lbs mid, corner E.
80.00 Set a post further cor of T. 7 & 8. N. R. 1 E & 1 W from which, W Oak 24 in dia: here N 15 E 25 lbs dist; to, Buck 10 " " S 39 W 3 " " Hilly Oak land.

North Boundary. Apr 2 1811 B. 119
West On the South Boundary of sec. 36. T. 8 N. R. 1 W.
40.00 Set a post suppost from which, W Oak 10 in dia: here S 83 W 30 lbs dist; to, Do 18 " " N 83 E 19 " "
42.00 To a Brook 8 lbs mid, corner S. E.
80.00 Set a post further cor of sec 35 & 36 from which, Nick 3 in dia: here N 62 E 3 lbs dist; to, W Oak 20 " " N 32 W 18 " " Poor Hilly Oak land.

West On the South Boundary of sec. 35. T. 8 N. R. 1 W.
39.00 To a Brook 25 lbs mid, corner S.
40.00 Set a post suppost from which, Bottom 6 in dia: here N 50 W 10 lbs dist; to, W. Buck 3 " " S 59 E 14 " "
80.00 Set a post further cor of sec 34 & 35 from which, Buck 5 in dia: here N 72 W 11 lbs dist; to, Nick 11 " " S 4 E 21 " " Land middling good land; Timber Buck, Sugar &c.

West On the South Boundary of sec. 34. T. 8 N. R. 1 W.
13.50 To a Brook 8 lbs mid, corner N. E.
40.00 Set a post suppost from which, Sugar 14 in dia: here N 31 E 10 lbs dist; to, Buck 4 " " S 45 W 25 " "
80.00 Set a post further cor of sec 33 & 34 from which,

60.75 To a Sugar 24 in dia. in the mill.
 78.50 To a Brook 150 pike mid. corner. S.E.
 80.00 Set apart on the Bank of a Brook corner of the
 13th 24th from which,
 Sugar. 19 in dia. beam. N 29 E 7 1/2 the dist. to
 Elm. 18 " " " N 63 W 31 " "
 Good land Timber Oak Sugar & Ash

North On the East Boundary of sec. 13 T. 1 N. R. 2 W.
 40.00 Set apart from which,
 Sugar. 12 in dia. beam. N 55 E 10 the dist. to
 Do. 16 " " " S 55 W 15 " "
 55.00 To a Brook 150 pike mid. corner S.W.
 66.00 To a Sugar. 19 in dia. in the mill.
 73.00 " " Brook corner S.E.
 80.00 Set apart for the corner 12 & 13 from which,
 Brook 36 in dia. beam. N 55 E 17 the dist. to
 Do. 16 " " " N 60 W 24 " "
 Rich land good Mill Seab. & mill timbered

North On the East Boundary of sec. 12 T. 1 N. R. 2 W.
 15.00 To a Brook corner S.W.
 22.00 " " Do. " S.E.
 34.00 " " Brook 20 pike mid. corner S.W.
 40.00 Set apart from which,
 Brook 36 in dia. beam. N 15 E 14 the dist. to
 Do. 24 " " " S 5 E 31 " "
 47.00 To a Brook corner S.W.
 77.00 " " Do. " S.E.
 80.00 Set apart for the corner 1 & 12 from which,
 Brook 16 in dia. beam. N 71 W 14 the dist. to
 Sugar. 16 " " " S 83 E 19 " "
 Good land Timber Sugar Walnut Elm, &c.

North On the East Boundary of sec. 1 T. 1 N. R. 2 W.
 15.00 To a Brook corner S.W.
 30.00 To a Walnut. 18 in dia. in the mill.
 35.00 To a ledge of Rocks
 40.00 Set apart from which a
 Brook 18 in dia. beam. S 82 E 13 the dist. to
 Elm. 18 " " " N 107 W 25 " "
 60.00 To a Spring corner E.
 77.00 Set 150 pike West of the post set by James Holmes
 moved it to the intersection for the corner of T. 1 N. R. 2 W.
 N. 142 W & set apart from which,
 Brook 12 in dia. beam. N 73 W 12 the dist. to
 Oak 30 " " " N 40 E 23 " "
 Good land; Timber Sugar, Brook, &c.
 April 1881.
 Surveyed by
 Alexander Holmes
 Deputy Sur.

Subdivisions

North Return Sec. 35 & 36 T. 1 N. R. 1 W.
 40.00 Set apart from which,
 Brook 18 in dia. beam. S 50 E 36 the dist. to
 Do. 10 " " " N 78 W 7 " "
 76.00 To a Brook 20 pike mid. corner W.
 80.00 Set apart for the corner 25 & 26 35 & 36 from which,
 Brook 18 in dia. beam. N 30 W 28 the dist. to
 Do. 12 " " " S 56 E 28 " "
 Sand rolling Timber Oak, & Hemlock.

East On the East Boundary of sec. 25 & 36 T. 1 N. R. 1 W.
 23.00 To a Brook 200 pike mid. corner S.W.
 35.00 " " Do. 200 " " " " N.W.

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast
43.50	To the above named Brook. 200 lbs. m. d., Comer S. W.
80.10	Intersect the N. 13 line to East Boundary at the first corner of sec. 25 & 36. Same the same.
West	On the line between Sec. 25 & 36. T. J. N. R. 177.
40.05	Set the trap for supeast at the ar. dist. in the line from which Sugar 10 in dist. from N. 14 line. 4 lbs. dist. under a No. 18 " " " N. 17 E. 32 " "
80.10	To the first corner of sec. 25, 26, 35 & 36.
North	Return Sec. 25 & 36. T. J. N. R. 177
40.00	Set a trap for supeast from which, Nicks 10 in dist. from N. 15 line. 27 lbs. dist. to, Colm. 18 " " " N. 17 W. 18 " "
80.00	Set a post for the corner of sec. 23, 24, 25 & 36. From which, Buck 15 in dist. from N. 15 E. 25 lbs. dist. to, No. 8 " " " N. 16 W. 23 " "
	Same the same.
East	Quadrant line between Sec. 24 & 25 T. J. N. R. 177
40.00	Set a trap for supeast.
42.00	To a Brook 150 lbs. m. d., Comer S. W.
80.00	Intersect the East Boundary 114 lbs. South of the post corner of sec. 24 & 25. Same the same.
West	On the line between Sec. 24 & 25 T. J. N. R. 177
40.00	Set the trap for supeast at the ar. dist. in the line from which, Buck 12 in dist. from N. 14 E. 11 lbs. dist. under a No. 10 " " " N. 18 W. 12 " "
80.00	To the post corner of sec. 23, 24 & 25 & 36.
North	Return Sec. 24 & 25. T. J. N. R. 177
	Camp?

arr. 26
22 pages

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast from which, Buck 8 in dist. from N. 15 E. 9 lbs. dist. to, No. 4 " " " N. 20 W. 13 " "
80.00	Set a post for the corner of sec. 13, 14, 23 & 24 from which, Maple 5 in dist. from N. 21 W. 23 lbs. dist. to, No. 8 " " " N. 15 W. 39 " "
	Same the same.
East	Quadrant line between Sec. 13 & 24 T. J. N. R. 177
40.00	Set a trap for supeast.
58.50	To a Brook 150 lbs. m. d., Comer S. E.
80.12	Intersect the N. 13 line to East Boundary at the first corner of sec. 13 & 24. Same the same.
West	On the line between Sec. 13 & 24 T. J. N. R. 177
40.06	Set the trap for supeast at the ar. dist. in the line from which, Buck 10 in dist. from West 20 lbs. dist. under a No. 15 " " " N. 14 W. 20 " "
80.12	To the post corner of sec. 13, 14, 23 & 24
North	Return Sec. 13 & 24. T. J. N. R. 177
40.00	Set a trap for supeast from which, Buck 20 in dist. from N. 14 W. 23 lbs. dist. to, No. 12 " " " N. 10 E. 20 " "
80.00	Set a post for the corner of sec. 11, 12, 13 & 14 from which, Nicks 8 in dist. from N. 30 E. 7 lbs. dist. to, No. 18 " " " N. 16 W. 22 " "
	Same flat, Timber Buck, Gum, Ash, Oak, Walnut,
East	Quadrant line between Sec. 13 & 14 T. J. N. R. 177
25.00	To a Brook 15 lbs. m. d., Comer S.
40.00	Set a trap for supeast post.
76.00	To a Brook 200 lbs. m. d., Comer S.

T. N. of N. R. No. 177 Dnd Mn. Ind.

80.00	Intersut the East Boundary at the post on of sec 12 & 13 Land the same.
West	Return Jul 12 & 13 T. of N. R. 177. Time line.
40.00	Set the temp. 7 th support at the ar. dist. on the line from which, W Oak. 12 in dist. line. S 5 W. 3 lbs. dist. and so on. Ironwood Co. & A 21 E. 29.
80.00	To the post on of sec 11, 12, 13 & 14
North	Return Jul 11 & 12 T. of N. R. 177.
21.00	To a Brook 10 links m. from S. E.
40.00	Set a 7 th support from which, W Oak. 20 in dist. line. N 4 E. 23 lbs. dist. & a Lo. 12 " " " S 42 W. 26 " "
73.00	To a Brook. 12 links m. from S. E.
80.00	Set a post for the cor. of sec 1, 2, 11 & 12 from which, Beck. 10 in dist. line. S 46 W. 13 lbs. dist. & a Lo. 12 " " " A 21 E. 19 " "
	Land is hilly, Timber Oak, Hick, & Beech, &c.
East	On a Random line between Jul 1 & 12 T. of N. R. 177
40.00	Set a temp. 7 th support.
81.38	Intersut the East Boundary 48 links North of the post cor. of sec. 1 & 12. Land is hilly, Part. thin. Timber Oak & Hick.
West	On the line between Jul 1 & 12 T. of N. R. 177
10.19	Set the temp. 7 th support at the ar. dist. on the line from which, Dogwood 6 in dist. line. N 30 W. 17 lbs. dist. and so Maple. 10 " " " S 7 W. 20 " "
80.38	To the post on of sec. 1, 2, 11 & 12.
North	Return Jul 1 & 2 T. of N. R. 177.

T. N. of N. R. No. 177 Dnd Mn. Ind.

40.00	Set a 7 th support from which, W Oak. 20 in dist. line. N 45 E. - the dist. & a Lo. 20 " " " S 46 W. 9 " "
81.03	Intersut the N. Boundary at the post on of sec. 35 & 36. T. of N. R. 177. Land the same.
North	Return Jul 34 & 35 T. of N. R. 177.
32.00	To a Brook. 12 links m. from N. W.
40.00	Set a 7 th support from which, W Walnut. 10 in dist. line. N 70 W. 15 lbs. dist. & a Lo. 7 " " " S 42 E. 14 " "
80.00	Set a post for the cor. of sec. 26, 27, 34 & 35 from which, Beck. 8 in dist. line. N 72 E. 17 lbs. dist. & a Lo. " " " S 11 W. 8 " "
	Land is flat, Timber Beech, Elm, Oak, & Hick.
East	On a Random line between Jul 26 & 35 T. of N. R. 177.
40.00	Set a temp. 7 th support
73.00	To a Brook 200 lbs m. from N. W.
80.00	Intersut the N. E. line. 12 links South of the post on of sec. 25, 26, 35 & 36. Land the same.
West	On the line between Jul 26 & 35 T. of N. R. 177.
40.00	Set the temp. 7 th support on the line at the ar. dist. from which, Beck. 6 in dist. line. N 56 E. 14 lbs. dist. and so Lo. 10 " " " S 20 E. 11 " "
80.00	To the post on of sec. 26, 27, 34 & 35.
North	Return Jul 26 & 27 T. of N. R. 177.
40.00	Set the 7 th support in a Brook 1 1/2 lbs m. from N.
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which, W Oak. 20 in dist. line. N 21 E. 6 lbs. dist. & a Beck. 10 " " " S 4 W. 39 " "

I. N. of A. R. N.º 1772nd Mo. Suda

Sande the same

East	On a R and am line between Sur 23 & 26. I. J. N. R. 177.
40.00	Set a trap for support.
50.00	Set out the N. 15 line 10 links South of the first one of Sur 23, 24, 25 & 26. Sande the same.
West	On the same line between Sur 23 & 26. I. J. N. R. 177.
40.00	Set the trap for support at the ar. dist. on the same line from which, Rept. 5 in dist. line. N. 15 E. 11 the dist.
	and a No. 5 " " " N. 15 W. 17 " "
80.00	Set the post on of Sur 22, 23, 26 & 27.
North	Return Sur 22 & 23. I. J. N. R. 177.
40.00	Set a trap for support from which, Rept. 15 in dist. line. I. J. N. 17 the dist; ta,
	No. 15 " " " N. 15 W. 27 " "
80.00	Set a post for the cor of Sur 14, 15, 22 & 23 from which,
East	On a R and am line between Sur 14 & 22. I. J. N. R. 177.
40.00	Set a trap for support.
80.00	Set out the N. 15 line 20 links South of the post on of Sur 13, 14, 22 & 24 Sande the same.
West	On the same line between Sur 14 & 22. I. J. N. R. 177.
40.00	Set the trap for support at the ar. dist. on the same line from which, Rept. 10 in dist. line. N. 15 E. 16 the dist.
	and a No. 8 " " " N. 16 E. 17 " "
80.00	Set the post on of Sur 14, 15, 22 & 23.
North	Return Sur 14 & 22. I. J. N. R. 177.
40.00	Set a trap for support from which, N. 16 E. 12 in dist. line. N. 16 W. 4 the dist; ta,

I. N. of A. R. N.º 1772nd Mo. Suda

80.00	On 15 in dist. line. N. 28 E. 23 the dist;
	Set a post for the cor of Sur 10, 11, 14 & 15. From which, Rept. 6 in dist. line. N. 39 W. 19 the dist; ta,
	No. 5 " " " N. 20 E. 15 " "
	Sande the same
East	On a R and am line between Sur 11 & 14. I. J. N. R. 177.
40.00	Set a trap for support.
50.50	Set out the N. 15 line 18 links South of the post on of Sur 11, 12, 13 & 14. Sande the same.
West	On the same line between Sur 11 & 14. I. J. N. R. 177.
40.25	Set the trap for support at the ar. dist. on the same line from which, Rept. 3 in dist. line. N. 62 E. 5 the dist;
	and a No. " " " N. 28 E. 10 " "
80.50	Set the cor of Sur 10, 11, 14 & 15.
North	Return Sur 10 & 11. I. J. N. R. 177.
44.30	Set a Rept. 15 in dist. on the line.
40.00	Set a trap for support from which, Rept. 4 in dist. line. N. 57 W. 20 the dist; ta,
	N. Walnut, 10 " " " N. 13 E. 20 " "
80.00	Set a post for the cor of Sur 2, 3, 10 & 11 from which, Rept. 12 in dist. line. N. 41 E. 10 the dist; ta,
	No. 5 " " " N. 27 E. 6 " "
	Sande the same.
East	On a R and am line between Sur 2 & 11. I. J. N. R. 177.
40.00	Set a trap for support.
80.00	Set out the N. 15 line 100 links South of the post on of Sur 2, 3, 11 & 12 Sande the same.
West	On the same line between Sur 2 & 11. I. J. N. R. 177.

T. N. of A. R. No 177 2nd Mer. Ind.

40.00 Set the trap for support at the ar. dist. on the line
from which, Buck 8 in dist. from N6W 14 the dist.
under No. 44 " " N9E 20. "
80.00 Set the post on of cut 2, 3, 10 & 11

North Return cut 2 & 3 T. N. R. 177.
40.00 Set a post support from which,
Buck 15 in dist. from N6E 15 the dist. to
No. 15 " " N24 W. 12. "
79.50 Support at the N. Bound. 7 58 links West of the post on of
cut 34 & 35. T. N. R. 177 and set a post for the cut
" 21.3 from which,
N Oak 15 in dist. from N41 E 14 the dist. to,
Buck 15 " " N46 W. 24. "
Sunde ends with the same.

North Return cut 33 & 34 T. N. R. 177.
40.00 To a Brook 100 links m. d., lower S. E.
40.00 Set a post support from which,
Buck 12 in dist. from East 30 links dist. to top
E. m. 10 " " N69 W. 25 " "
80.00 Set a post for the cut of cut 27, 28, 33 & 34 from which,
Buck 12 in dist. from N51 E 14 the dist. to,
No. 8 " " N44 E 23. "
Sunde rolling Timber Buck, Oak, & Hickory.

East On a Random line between cut 27 & 34 T. N. R. 177.
36.00 To a Brook 20 links m. d., lower S. E.
40.00 Set a trap for support.
80.00 Set a post at the N. B. line 57 links North of the post on
of cut 26, 27, 34 & 35. Sunde the same.

West On the line line between cut 27 & 34 T. N. R. 177.

T. N. of A. R. No 177 2nd Mer. Ind.

40.00 Set the trap for support at the ar. dist. on the line
from which, Maple 10 in dist. from N44 E 24 the dist.
under N. 10 " " N47 W. 11. "
80.00 Set the post on of cut 27, 28, 33 & 34

North Return cut 27 & 28 T. N. R. 177.
24.00 To a Brook 100 links m. d., lower S. E.
40.00 Set a post support from which,
Buck 6 in dist. from N46 E 6 links dist. to,
No. 10 " " N36 W. 8 " "
54.00 To a Brook 150 links m. d., lower W.
80.00 Set a post for the cut of cut 21, 22, 27 & 28 from which,
Buck 8 in dist. from N47 E 25 links dist. to,
N. 10 " " N47 W. 24. "
Sunde with ends with, Timber Buck, Oak, & Hickory.

East On a Random line between cut 22, & 27 T. N. R. 177.
36.50 To a Brook 10 links m. d., lower S.
40.00 Set a trap for support.
46.00 To a Brook 10 links m. d., lower S. E.
53.00 " " No. 10 " " S. W.
80.00 Set a post at the N. B. line 24 links North of the post on of
cut 22, 23, 26 & 27. Sunde the same.

West On the line line between cut 22 & 27 T. N. R. 177.
40.00 Set the trap for support at the ar. dist. on the line
from which, Buck 25 in dist. from N18 E 30 the dist.
under No. 15 " " N47 W. 11 " "
80.00 Set the post on of cut 21, 22, 27 & 28.

North Return cut 21 & 22 T. N. R. 177.
40.00 Set a post support from which,
Buck 12 in dist. from N32 E 9 links dist. to,

T. N. of A. R. No 177 2nd Mer. Ind.

Reuk. 5 in dist. from S 77.7 N to dist. 8
 Set a post for the corner of sec 15. 16. 21 & 22 from which,
 Reuk. 10 in dist. from S 87 E. 15 the dist. to,
 No. 15 " " S 77.12 " "
 Sandrolling, Birch, Timber Oak, Oak & Poplar, &
 Walnut.

East On a Random line between Sec 15 & 22 T. 7. N. R. 17.
 49.00 Set a temporary post.
 79.86 Intersect the N 15 line at the post corner of sec 14. 15 & 22 & 23.
 Land the same.

West On the true line between Sec 15 & 22 T. 7. N. R. 17.
 39.93 Set the temporary post at the ar. dist. in the true line
 from which, Poplar 100 in dist. from S 49 N. 10 the dist.
 under Sugar 20 " " " S 42 E. 18 " "
 79.86 To the post corner of sec 15. 16. 21 & 22.

North Between Sec 15 & 16 T. 7. N. R. 17.
 40.00 Set a temporary post from which,
 Sugar 7 in dist. from S 56 E. 11 the dist. to,
 No. 10 " " " S 67.17 " "
 80.00 Set a post for the corner of sec 9. 10. 15 & 16 from which,
 Reuk. 12 in dist. from S 40 N. 14 the dist. to,
 Sugar 8 " " " S 46 E. 12 " "
 Sandrolling, Timber Oak & Hick. Sugar, Ash, &

East On a Random line between Sec 10 & 15 T. 7. N. R. 17.
 40.00 Set a temporary post.
 73.00 To a Brook 14 miles near, Source of
 80.00 Intersect the N 15 line 18 miles South of the post corner
 of sec 10. 11. 14 & 15. Land the same.

T. N. of A. R. No 177 2nd Mer. Ind.

West On the true line between Sec 10 & 15 T. 7. N. R. 17.
 40.00 Set the temporary post at the ar. dist. in the true line from
 which, Reuk. 20 in dist. from S 40 N. 18 the dist. to,
 Sugar 8 " " " S 48 E. 11 " "
 80.00 To the post corner of sec 9. 10. 15 & 16.

North Between Sec 9 & 10 T. 7. N. R. 17.
 40.00 Set a temporary post from which,
 Sugar 10 in dist. from S 18 E. 10 the dist. to,
 Loggmoor 3 " " " S 57 E. 9 " "
 62.00 To a Brook 10 miles near, Source of
 80.00 Set a post for the corner of sec 3. 4. 9 & 10 from which,
 Reuk. 2 in dist. from S 44 E. 12 the dist. to,
 Walnut 6 " " " West 35 " "
 Land the same.

East On a Random line between Sec 3 & 10 T. 7. N. R. 17.
 40.00 Set a temporary post.
 80.18 Intersect the N 15 line 25 miles South of the post corner of
 Sec 2 & 10 & 11. Land the same.

West On the true line between Sec 3 & 10 T. 7. N. R. 17.
 40.09 Set the temporary post at the ar. dist. in the true line
 from which, Reuk. 3 in dist. from S 45 E. 13 the dist.
 under No 18 " " " S 67 N. 21 " "
 80.18 To the post corner of sec 3. 4. 9 & 10.

North Between Sec 3 & 10 T. 7. N. R. 17.
 40.00 Set a temporary post from which,
 Oak 20 in dist. from S 40 E. 25 the dist. to,
 Reuk. 5 " " " " S 57 N. 4 " "
 79.94 Intersect the N 15 line 18 miles West of the post corner of
 Sec 3. 3. 14. T. 8. N. R. 17 and set a post for the corner

T. No. 1 of A. R. No. 17 2nd Mer. Ind.

Set 341. From which,
Beck. 8 in dist. from N 1/2 E. 20 links dist. to,
Do. 20 " " S 8 E. 29 " "
Sound the same.

North Return Sur 28132 T. No. 17.
6.00 1/2 spring 8 links mid, Course E.
20.00 " " 10 " 5 " " " E.
40.00 Set a 70 support from which,
Ath. 20 in dist. from N 3/4 E. 8 links dist. to,
Beck. 6 " " " N 17.20 " "
53.50 To a Brook. 15 links mid, Course N. E.
80.00 Set a post for the end of sur 28129, 32133 from which,
Beck. 12 in dist. from N 40 E. 14 links dist. to,
Do. 15 " " " N 52 E. 42 " "
Sound the same. Timber Sugar, Ash & Birch.

East On a Random line between Sur 28133 T. No. 17.
12.00 To a Brook. 100 links mid, Course N.
30.00 " " the N. End of the same.
40.00 Set a tripet for support.
50.00 Intersect the N. E. line, 70 links South of the post. Co. of
Sur 27128334 Sound the same.

West Return Sur 28133 T. No. 17. True line.
40.00 Set the tripet for support. at the ar. dist. on the true line
from which, N. E. 26 in dist. from N 57 W. 13 links dist.
and ca. Do. 24 " " " N 72 E. 12 " "
80.00 To the post co. of sur 28129, 32133.

North Return Sur 28129 T. No. 17.
40.00 Set a 70 support from which,
Ath. 4 in dist. from N. E. 26 in dist. from the end of the line.

T. No. 1 of A. R. No. 17 2nd Mer. Ind. 219

53.00 To a Brook. 100 links mid, Course E.
65.00 To the East End of the same.
80.00 Set a post for the end of sur 20.21 28129 from which,
Sugar. — in dist. from N 1/2 E. 21 links dist. to,
Sun road 4 " " " N 68 W. 4 " "
Sound the same.

East On a Random line between Sur 21128 T. No. 17.
6.50 To a Brook. 12 links mid, Course S. E.
40.00 Set a tripet for support.
80.10 Intersect the N. E. line at the post co. of sur 21129128
Sound the same.

West On the true line between Sur 21128 T. No. 17.
40.00 Set the tripet for support at the ar. dist. on the true line from
which, Sugar. 8 in dist. from N 1/2 E. 21 links dist. to,
Do. 8 " " " N 12 E. 21 " "
80.10 To the post co. of sur 20.21 28129.

North Return Sur 20121 T. No. 17.
40.00 Set a 70 support from which,
Ath. 18 in dist. from N 14 W. 26 links dist. to,
Beck. 8 " " " N 26 W. 19 " "
69.50 To a Brook. 10 links mid, Course E.
80.00 Set a post for the end of sur 16.17.20121 from which,
Beck. 20 in dist. from N 18 E. 12 links dist. to,
Sugar. 4 " " " N 20 W. 6 " "
Sound the same.

East On a Random line between Sur 16121 T. No. 17.
32.00 To a Brook. 20 links mid, Course N.
40.00 Set a tripet for support.
80.10 Intersect the N. E. line at the post co. of sur 16.16.21122.

I. N. of N. R. No. 177 2nd Mer. Sud

Same the same.

West On the line between Sud 16 & 21. I. N. R. 177.
40.00 Set the trip to support at the ar. dist. on the line
from which, Sugar 10 in dist. from A 20 E. 22 the dist.
and a No. 5 " " 23 E. 21 "
80.19 To the post on of 21 16 17 20 & 21.

North Between Sud 16 & 17. I. N. R. 177.
40.00 Set a post from which,
Beck 5 in dist. from B 29 E. 19 the dist. to
No. 4 " " A 8 E. 20 "
51.00 To a Brook 5 links n. w. corner S.
80.00 Set a post for the corner 8. 9 16 & 17. From which,
Beck 30 in dist. from East 3 links dist. to
Sugar 8 " " 140 N. 28 " "
Same the same.

East On a line between Sud 9 & 16. I. N. R. 177.
4.00 To a Brook 6 links n. w. corner S.
40.00 Set a trip to support.
60.00 To a Brook 10 links n. w. corner S.
79.20 Set out the N. B. line. 44 links North of the post.
corner 9 10. 15 N. E. Same the same.

West On the line between Sud 9 & 16. I. N. R. 177.
39.00 Set the trip to support at the ar. dist. on the line
from which, Sugar 6 in dist. from A 13 E. 17 the dist.
and a corner 5 " " 14 N. 14 "
79.20 To the post on of 21 8. 9 16 & 17.

North Between Sud 8 & 9. I. N. R. 177.
40.00 Set a post from which,

I. N. of N. R. No. 177 2nd Mer. Sud

Beck 30 in dist. from A 36 N. 26 the dist. to
No. 10 " " 42 E. 25 "
80.00 Set a post for the corner 4. 5. 8 & 9 from which,
Sugar 18 in dist. from A 8 E. 13 the dist. to
Beck 20 " " 79 N. 26 "
Same the same.

East On a line between Sud 4 & 9. I. N. R. 177.
40.00 Set a trip to support.
60.00 To a Brook 10 links n. w. corner S.
79.20 Set out the N. B. line at the post on of 21 34 9 N. E.
Same the same.

West On the line between Sud 4 & 9. I. N. R. 177.
39.64 Set the trip to support at the ar. dist. on the line
from which, Sugar 15 in dist. from A 5 E. 17 the dist.
and a No. 12 " " 14 E. 24 "
79.20 To the post on of 21 4. 5. 8 & 9.

North Between Sud 4 & 5. I. N. R. 177.
11.00 To a Poplar 30 in dist. on the line.
40.00 Set a post from which,
Beck 120 in dist. from A 46 E. 6 the dist. to
No. 14 " " 14 E. 18 "
64.00 To a Brook 10 links n. w. corner N.
80.20 Set out the N. B. line 33 links East of the first cor.
Sud 32 & 33. I. N. R. 177 and set a post for the cor.
" 4 & 5 from which,
Beck 15 in dist. from A 19 N. 28 the dist. to
Beck 720 " " 34 E. 10 "
Same & Set the same.

North Between Sud 31 & 32. I. N. R. 177.

J. No 4 N R No 1 N 2nd Mer. Sud.

Land the same.

West On the line between Sur 16 & 21. T. J. N R 1 M.
 40.00 Set the trap for supeast at the ar. dist. on the line
 from which, Sugar 10 in dist. from. N 20 E 22 lbs dist.
 and a No. 5 " " N 33 E 21 "
 80.12 To the post on of sur 16 & 21.

North Between Sur 16 & 21. T. J. N R 1 M.
 40.00 Set a supeast from which,
 Reck 1.5 in dist. from. N 29 E 19 lbs dist. to
 No. 4 " " " N 81 E 20 "
 51.00 To a Brook 3 tenths m. from S.
 80.20 Set a post for the crop sur 8. 9 16 & 21 from which,
 Reck 30 in dist. from. East 3 tenths dist. to,
 Sugar 8 " " " N 40 W 28 "
 Land the same.

East On a random line between Sur 9 & 16. T. J. N R 1 M.
 4.00 To a Brook 6 tenths m. from S.
 40.00 Set a trap for supeast.
 60.00 To a Brook 10 tenths m. from S.
 77.20 Set out the N R line, 44 tenths Nth of the post.
 crop sur 9 10 15 M. Land the same.

West On the line between Sur 9 & 16. T. J. N R 1 M.
 39.60 Set the trap for supeast at the ar. dist. on the line
 from which, Sugar 6 in dist. from. N 13 E 17 lbs dist.
 and a ashwood 5 " " " N 4 W 14 "
 77.20 To the post on of sur 8. 9 16 & 21.

North Between Sur 8 & 9. T. J. N R 1 M.
 40.00 Set a supeast from which,

J. No 4 N R No 1 N 2nd Mer. Sud.

Reck 30 in dist. from. N 36 W 26 lbs dist. to,
 No. 10 " " " N 42 E 25 "
 80.00 Set a post for the crop sur 4. 5, 8 & 9 from which,
 Sugar 18 in dist. from. N 8 E 13 lbs dist. to,
 Reck 20 " " " N 49 W 26 "
 Land the same.

East On a random line between Sur 4 & 9. T. J. N R 1 M.
 40.00 Set a trap for supeast.
 60.00 To a Brook 10 tenths m. from S.
 77.20 Set out the N R line at the post on of sur 3. 4 & 9
 Land the same.

West On the line between Sur 4 & 9. T. J. N R 1 M.
 39.60 Set the trap for supeast at the ar. dist. on the line
 from which, Sugar 15 in dist. from. N 45 E 17 lbs dist.
 and a No. 12 " " " N 4 E 27 "
 77.20 To the post on of sur 4. 5, 8 & 9.

North Between Sur 4 & 5. T. J. N R 1 M.
 11.00 To a Poplar 20 in dist. on the line.
 40.00 Set a supeast from which,
 Reck 20 in dist. from. N 46 E 16 lbs dist. to,
 No. 10 " " " N 4 E 18 "
 60.00 To a Brook 10 tenths m. from S.
 80.20 Set out the N R line at 33 tenths East of the post on
 Sur 32 & 33. T. J. N R 1 M and set a post for the crop
 " 4 & 5 from which,
 Reck 15 in dist. from. N 79 W 28 lbs dist. to,
 Reck 20 " " " N 34 E 10 "
 Land & set the same.

North Between Sur 3 & 4. T. J. N R 1 M.

T. N. of N. R. N. 177 Quad. Min. Ind.

40.00	Set a 74 support from which, Back 10 in dist. from S39E 21 links dist. to, Loc. 12 " " " S48W 27 " "
48.00	Look Brook 20 links mid, corner N.E.
80.00	Set a post for the corner 29.30.31 & 32 from which, Dogwood 4 in dist. from S44E 26 links dist. to, Loc. 7 " " " S45W 20 " "
Sands rolling timber same.	
East	On a Kendum line between Jul 29 & 30 T. N. R. 177.
40.00	Set a trip 74 support
80.18	Intersect the N.E. line at the post. cor of Jul 28 & 29, 32 & 33. Sands the same.
West	On the line between Jul 29 & 30 T. N. R. 177.
40.09	Set the trip 74 support at the ar. dist. on the line from which, Back 10 in dist. from S42E 28 links dist. to, Loc. 4 " " " S45E 22 " "
80.18	Set the post on Jul 29.30.31 & 32.
West	Between Jul 30 & 31 T. N. R. 177.
40.00	Set a trip 74 support from which, Hick 18 in dist. from S45W 23 links dist. to, Sugar. 8 " " " S45E 33 " "
84.85	Intersect the West Boundary 25 links South of the post cor of Jul 25 & 26. T. N. R. 277 and set a post for the " " 30 & 31 from which, Back 8 in dist. from S44E 52 links dist. to, Loc. 4 " " " S47E 30 " "
Sands the same.	
North	Between Jul 29 & 30 T. N. R. 177.
40.00	Set a 74 support from which,

T. N. of N. R. N. 177 Quad. Min. Ind.

Sugar. 8 in dist. from S46W 17 links dist. to, Loc. 8 " " " S47E 33 " "	
80.00	Set a post for the corner 19.20.29 & 30 from which, Back 15 in dist. from S43E 22 links dist. to, Loc. 25 " " " S48E 31 " "
Sands the same.	
East	On a Kendum line between Jul 30 & 29 T. N. R. 177.
31.50	Look Brook 75 links mid, corner N.E.
37.50	" " Loc. 75 " " " N.E.
40.00	Set a trip 74 support
40.50	Look Brook 75 links mid, corner N.E.
81.00	Intersect the N.E. line, 100 links South of the post cor of Jul 20.21.28 & 29. Sands the same.
West	On the line between Jul 20 & 29 T. N. R. 177.
40.50	Set the trip 74 support at the ar. dist. on the line from which, This corner could not be established.
81.00	Set the post cor of Jul 19.20.29. & 30.
West	Between Jul 19 & 20 T. N. R. 177.
12.00	Look Brook 16 links mid, corner N.E.
40.00	Set a support from which, Back 8 in dist. from S44E 34 links dist. to, Loc. 10 " " " S45W 11 " "
62.00	Look Brook 12 links mid, corner N.E.
84.74	Intersect the West Boundary 164 links South of the post cor of Jul 24 & 25 T. N. R. 277 and set a post for the cor of Jul 19 & 20 from which, A Hick 14 in dist. stands for the cor of Jul 19 & 20 Sands the same.
North	Between Jul 19 & 20 T. N. R. 177.

T. N. of A. R. N. 1772nd Mrs. Sud.

29.00	Top Brook 80 links mid, corner N.E.
40.00	Set a 1/2 support from which, Hagberry 12 in dist. bears. N 40 W. 14 the dist. to Sugar. 15 " " " N 40 E 26 " "
80.00	Set a post further on of 17.18.19 from which, Beck 15 in dist. bears. S 73 E 11 links dist. to, Do. 10 " " " S 65 W. 15 " " Same as the same.
East	On a R. can arm line between Jul 17 & 20 T. N. 177.
27.00	Top Brook 12 links mid, corner S.W.
40.00	Set a trip 1/2 in 2nd post.
80.40	Set a cut the N & S line 22 links South of the post on of 16.17.20 & 21. Same as the same.
West	On the line line between Jul 17 & 20 T. N. 177.
40.20	Set the trip 1/2 in 2nd post at the ar. dist. on the line from which, Beck 10 in dist. bears. N 26 E. 5 links dist. to, Do. 5 " " " S 19 W. 9 " "
80.40	Set the post on of 16.18.19 & 20
West	Between Jul 18 & 19 T. N. 177.
30.50	Top Brook 12 links mid, corner S.W.
40.00	Set a 1/2 support from which, Hagberry 12 in dist. bears. N 32 E. 40 the dist. to, Sugar. 5 " " " N 20 E 30 " "
40.03	Top Brook 45 links mid, corner S.E.
52.50	" " Do. 75 " " " N.W.
79.00	" " Do. 75 " " " S.E.
85.00	Set a cut the West Brook at 250 links South of the post on of 16.18.19 & 20 T. N. 177 and set a post further on " " 18 & 19 from which, Beck 4 in dist. bears. N 54 W. 40 links dist. to,

T. N. of A. R. N. 1772nd Mrs. Sud.

	Beck 4 in dist. bears. N 42 E. 8 links dist. to, Same as the same.
North	Between Jul 17 & 18 T. N. 177.
40.00	Set a 1/2 support from which, Hagberry 24 in dist. bears. N 30 E 6 links dist. to, Beck 6 " " " S 65 W. 12 " "
80.00	Set a post further on of 7.8.17 & 18 from which, Beck 30 in dist. bears. South. 15 links dist. to, Do. 12 " " " N 45 W. 12 " " Same as rolling Timber Beck, Sugar & Poplar, Ash, &c.
East	On a R. can arm line between Jul 8 & 17 T. N. 177.
23.00	Top Brook 6 links mid, corner S.W.
40.00	Set a trip 1/2 in 2nd post.
80.00	Set a cut the N & S line 12 links South of the post on of Jul. 8.9.16 & 17. Same as the same.
West	On the line line between Jul 8 & 17 T. N. 177.
40.00	Set the trip 1/2 in 2nd post at the ar. dist. on the line from which, Beck 12 in dist. bears. N 60 E 4 links dist. under Do 44 " " " N 28 E 5 " "
80.00	Set the post on of 7.8.17 & 18.
West	Between Jul 7 & 18 T. N. 177.
23.00	Top Brook 24 links mid, corner S.W.
40.00	Set a 1/2 support from which, Sugar 10 in dist. bears. N 36 E 3 links dist. to, Do 9 " " " S 71 W 35 " "
81.00	Top Brook 100 links mid, corner S.
83.43	Set a cut the West Brook at 385 links South of the post on of 12 & 13 T. N. 177 and set a post further on " " 7 & 18 from which, Sugar 12 in dist. bears. N 36 E 36 links dist. to,

T. N. of N. R. No. 177 2nd Mer. Ind.

~~Blackberry 12 in diam. beam. S 80 W 20 limbs dist. 10~~
~~Sum do the same.~~

North	Return Jul 7 18 T. N. R. 177.
18.00	To a Poplar. 36 in diam. in the beam.
40.00	Set a 7/8 support from which, Birch 7 in diam. beam. S 13 E 44 limbs dist. 10, Do. 6 4 " " N 24 W 22 " "
46.00	To a Brook. 10 limbs mid, beam W.
80.00	Set a post. further crop. S. 6. 7. 48 from which, Birch 18 in diam. beam. South 8 limbs dist. 10, Sugar. 12 " " S 6 E. 43 " " Sum do the same.
East	On a Random line between Jul 5 78 T. N. R. 177.
33.00	To a Brook 10 limbs mid, beam S. W.
40.00	Set a timber 7/8 support.
79.16	Intersect the N. S. line. 33 limbs. South of the post crop Set. 4. 5. 8 79. Sum do the same.
West	On the line between Jul 5 78 T. N. R. 177.
39.38	Set the timber 7/8 support at the ar. dist. on the line from from which, Poplar 10 in diam. beam. N 7 W 10 limbs dist. under a Sugar. 5 " " N 15 E 9 " "
79.16	To the post crop. S. 6. 7 8.
West	Return Jul 6 79 T. N. R. 177.
40.00	Set a 7/8 support from which, Sugar 10 in diam. beam. N 36 E 3 limbs dist. 10, Do. 9 " " S 37 W 35 " "
81.00	To a Brook 100 limbs mid, beam S.
83.143	Intersect the West Bound 385 limbs. South of the post crop. S. 1 12 T. N. R. 177 and set a post for the crop

T. N. of N. R. No. 177 2nd Mer. Ind.

Set 5 79 from which,

Sycamore. 21 in diam. beam. East 19 limbs dist. 10.
 Cedar. 12 " " " S 5 E 31 " "
 Sum do the same.

West	Return Jul 7 18 T. N. R. 177.
23.00	To a Brook 8 limbs mid, beam S.
40.00	Set a 7/8 support. from which, N. Walnut. 36 in diam. beam. N 24 E 9 limbs dist. 10, Ash. 18 " " " " S 35 W 19 " "
83.40	Intersect the West Bound 439 limbs. South of the post crop. S. 13 T. N. R. 177 and set a post further " " " 7 18 from which, Sugar. 12 in diam. beam. N 36 E 36 limbs dist. 10, Blackberry. 12 " " S 80 W 20 " " Sum do the same.

North	Return Jul 5 76 T. N. R. 177.
40.00	Set a 7/8 support from which, Birch 8 in diam. beam. S 29 E 24 limbs dist. 10, Sugar 5 " " " N 33 W 11 " "
44.00	To a Brook. 20 limbs mid, beam W.
67.00	" " 20. 10 " " " W.
80.54	Intersect the N. Bound 145 limbs East of the post crop. 31 132 T. N. R. 177 and set a post further crop " 5 76 from which, Sugar. 12 in diam. beam. N 66 W 20 limbs dist. 10, Dogwood 5 " " S 4 W 20 " " Sum do the same.

Surv. by
 Arthur Henry,
 Dep't Surv.

Comp

T. N. of A. R. N. 1st 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the
field notes of T. N. of A. R. N. 1st 2nd Mer. in
Ind. has been compared with the original
notes in this Office and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 1/1841 S.

Sur General.

Township N. 8. South of Range N. 1 West of the 2nd Mer. Indiana

South Boundary. April 2^d 1841.

West. On the South Boundary of Sec. 34. T. 8. N. R. 1 W.

From the cor of T. 8. N. R. 1 E. 1 W.

40.00 Set a 7/8 sap post from which,
W Oak 10 in diam. bears N. 37 W. 30 units dist. to,
Lp 18 " " N. 83 E. 19 " "

112.00 To a Brook. 8 units wide, course S. E.

80.00 Set a post for the cor of sec. 35 & 36. from which,
Stick 3 in diam. bears N. 2 E. 3 units dist. to,

W Oak 20 " " N. 32 W. 18 " "

Good Kelly Oak Land.

West. On the South Boundary of Sec. 35 T. 8 N. R. 1 W.

39.00 To a Brook 25 units wide, course S.

40.00 Set a 7/8 sap post from which,
Buttress 6 in diam. bears N. 58 W. 10 units dist. to,
W. Birch 3 " " S. 59 E. 14 " "

80.00 Set a post for the cor of sec. 34 & 35. from which,
Birch 5 in diam. bears N. 12 W. 11 units dist. to,
Stick 11 " " S. E. 21 " "
Middleling good land. Timber Birch.

West. On the South Boundary of sec. 34. T. 8. N. R. 1 W.

13.50 To a Brook. 8 units wide, course, N. E.

40.00 Set a 7/8 sap post from which,
Sugar 14 in diam. bears N. 31 E. 10 units dist. to,
Birch 4 " " S. 45 W. 25 " "

80.00 Set a post for the cor of sec. 33 & 34 from which,
Sugar 18 in diam. bears N. 35 W. 27 units dist. to,
Birch 10 " " S. 8 E. 5 " "
Land same as last note.

West. On the South Boundary of sec. 33 T. 8. N. R. 1 W.